

Millions Have Died Suddenly | Gates and Schwab Complicit In Genocide



Dylan Eleven

Dec 12, 2023 18 min



Exposé-News.com

Government & Pfizer Documents Implicate Gates & Schwab in Depopulation Scheme.

If an experimental vaccine were to damage the heart and immune system in a significant number of individuals who received it, it is possible that it could lead to a decline in the overall population size.

Subscribe

This could occur for several reasons.

- First, damage to the heart could lead to an increase in cardiovascular diseases, which are a leading cause of mortality worldwide. This could result in a higher number of deaths among individuals who received the vaccine.
- Second, damage to the immune system could leave individuals more susceptible to other infections and diseases, which could also contribute to an increase in mortality.
- Last, but by no means least, the negative impacts of the vaccine on fertility and reproductive health could lead to a decline in the number of births, further contributing to a decline in the overall population size.

If such a vaccine were to be developed and distributed, it could potentially lead to depopulation due to increased mortality and decreased fertility.

Unfortunately, the world has found itself in a situation where powerful institutions and Governments have coerced millions of people into getting an experimental COVID-19 vaccine that causes all of the ill-fated things mentioned above.

Official Government reports and confidential Pfizer documents prove it.

Therefore, you are witnessing mass depopulation unfold before your very eyes.

The push for mass Covid-19 vaccination isn't about combating a virus, but about reducing the global population.

This goal aligns with the interests of certain powerful corporations and individuals who stand to benefit from a smaller, more manageable population.

Regardless of the specific cause, the implications of what is currently occurring in the real world are significant.

Millions have ‘Died Suddenly’


Did you know that data on excess deaths in 15% of the world’s countries can be found on the website of the Organisation for Economic Co-operation and Development (OECD)?

This includes major countries like the USA, Canada, and the UK.

Additionally, we were able to extract even more up-to-date data on 28 European countries from EuroMOMO.

All of this information has been provided to the OECD and EuroMOMO by each country’s Government organizations, such as the Centers for Disease Control in the USA and the Office for National Statistics in the UK.

The following chart illustrates the disturbing trend of excess deaths in the “Five Eyes” countries (Australia, Canada, New Zealand, the UK, and the US) as well as 27 other European countries –



Are you aware of the staggering number of excess deaths that have occurred in the US and Europe in recent years?


In 2021, the US saw almost 700,000 excess deaths, with another 360,000 excess deaths by November 11th, 2022.

Europe had a similarly alarming 382,000 excess deaths in 2021, with 309,000 excess deaths by November 2022.

And these figures don't even include Ukraine!

Shockingly, even countries like New Zealand, Australia, and Canada have seen excess deaths that have not decreased since the rollout of the Covid-19 vaccine.

The following chart illustrates the disturbing trend of overall excess deaths in Australia in 2020, 2021, and up to week 30 of 2022 –




Did you know that the rollout of the COVID-19 vaccine in Australia led to a shocking 747% increase in excess deaths, from 1,303 in 2020 to 11,042 in 2021?

And the situation has only gotten worse since then.

By the end of July 2022, there were a staggering 18,973 excess deaths in Australia – a 1,356% increase from 2020.

That's more excess deaths in 7 months than in the previous two years combined.

And the situation in the US is similarly alarming –





Are you aware of the disturbing trend of excess deaths in the US following the rollout of the Covid-19 vaccine?

By week 38 of 2022, 1,700 more people had died compared to the same time in 2020, and by week 38 of 2021, a shocking 109,000 more people had died compared to the same time in 2020.

These numbers indicate that rather than decreasing, deaths have actually increased following the vaccine rollout.

The following two charts illustrate the total excess deaths in the “Five Eyes” and Europe since the beginning of 2021 when the Covid-19 vaccine was introduced –



Did you know that over 1.8 million excess deaths have occurred in the “Five Eyes” and most of Europe since the rollout of the Covid-19 vaccine?

This shocking figure includes over 1 million excess deaths in the US and over 690,000 excess deaths in Europe according to the Centers for Disease Control and the Organisation for Economic Co-operation and Development, as well as significant numbers of excess deaths in Australia, Canada, and New Zealand.

The official narrative that the vaccine is safe and effective and would reduce the number of deaths is completely contradicted by these figures, which suggest that the Covid-19 vaccines may be the main cause of the excess deaths.

Children / Teens & Young Adults have ‘Died Suddenly’

Did you know that excess deaths among children aged 0 to 14 in Europe skyrocketed by a staggering 755% between January and September 2022, according to official data?

This alarming increase, which has prompted the European Union to launch an investigation, occurred despite efforts by [EuroMOMO](#) to downplay the figures.


It’s worth noting that the Pfizer Covid-19 vaccine was approved for use in children by the European Medicines Agency on 28th May 2021. Which was week 21 of 2021.




The screenshot shows the EMA website header with the logo and navigation menu. The main headline reads "First COVID-19 vaccine approved for children aged 12 to 15 in EU" with a "Share" button. Below the headline, the date "News 28/05/2021" is highlighted with a red box. The text of the news item states: "EMA's human medicines committee (CHMP) has recommended granting an extension of indication for the COVID-19 vaccine [Comirnaty](#) to include use in children aged 12 to 15. The vaccine is already approved for use in adults and adolescents aged 16 and above."

Source

Then excess deaths “only “coincidentally” began to be recorded from week 22 once this emergency use authorisation was granted.



Overall, excess deaths rose 630% since the vaccine’s approval for use in children by September of 2022.




It's a sad reality that despite the mounting evidence pointing to the clear danger of Covid-19 vaccinations for children, it is highly unlikely that authorities will acknowledge this risk.

Tragically, the significant increase in excess deaths among children in Europe since the European Medicines Agency emergency approved the vaccine for use in this population is likely to be dismissed as just another “coincidence” in the long list of such occurrences since the start of the pandemic.

It's vital that we continue to examine and scrutinize the data to ensure that the health and well-being of our children are protected.

Did you also know that according to official figures quietly published by the U.S. Centers for Disease Control (CDC), nearly half a million children and young adults died by October 9th 2022 in the USA since the Food & Drug Administration first granted emergency use authorization for a Covid-19 vaccine?




This heartbreaking development has resulted in nearly 118,000 excess deaths compared to the 2015-2019 average.

The figures also reveal that there have been 7,680 more excess deaths among children and young adults in 2022 so far compared to the same time frame in 2020, at the height of the alleged Covid-19 pandemic.

However, the worst year for deaths among 0 to 44-year-olds was 2021, with 291,461 excess deaths in total, nearly 60,000 more than occurred in 2020.

According to the official CDC figures, this increase was mainly due to a mysterious sudden rise in deaths among children and young adults starting around week 31 of 2021.



It's a heartbreaking reality that nearly half a million people aged 0 to 44 have died since week 51 of 2020, resulting in a staggering 117,719 excess deaths compared to the 2015-2019 five-year average.

According to official data, the average life expectancy in the USA was 77.28 years as of 2020.

If we are to believe the official narrative that Covid-19 is a deadly disease, then it's perhaps understandable that 231,987 children and young adults up to the age of 44 died in 2020, resulting in 40,365 excess deaths as an unfortunate consequence of this alleged disease.

However, if we are to accept the official narrative that Covid-19 vaccines are safe and effective, how do we explain the further increase in deaths among children and young adults in both 2021 and 2022?

It's worth noting that millions of Americans were pressured into getting the vaccines, and millions of parents were similarly coerced into forcing their children to receive the injections.

The answer is clear: **the official narrative is a blatant lie**. The Covid-19 vaccines are neither safe nor effective.

The hard-to-find data provided by the CDC only *hints* at this disturbing trend of young American deaths, but further data published by the UK Government *confirms* it.

For example, a report published on July 6th, 2022 by the UK's Office for National Statistics, a government agency, provides further evidence of the danger of these vaccines.

The report is titled '*Deaths by Vaccination Status, England, 1 January 2021 to 31 May 2022*', and it can be accessed on the ONS site [**here**](#), and downloaded [**here**](#).


Have you seen Table 2 of the report by the UK's Office for National Statistics, which contains the monthly age-standardized mortality rates by vaccination status by age group for deaths per 100,000 person-years in England up to May 2022?

If not, you should take a look, because the figures it contains are truly disturbing.

We've taken the data provided by the ONS for January to May 2022 and created the following chart, which illustrates the devastating consequences of the mass Covid-19 vaccination campaign.

The chart shows the monthly age-standardized mortality rates by vaccination status among 18 to 39-year-olds for Non-Covid-19 deaths in England between January and May 2022.

It's clear from this data that the risks associated with these vaccines cannot be ignored.



Source

It's a disturbing trend: in every single month since the start of 2022, partly vaccinated and double vaccinated 18-39 year-olds have been more likely to die than unvaccinated 18 to 39-year-olds.

The situation has been particularly dire for triple-vaccinated 18 to 39-year-olds, whose mortality rate has worsened month by month since the mass Booster campaign that took place in the UK in December 2021.

In January, triple-vaccinated 18 to 39-year-olds were slightly less likely to die than unvaccinated individuals in this age group, with a mortality rate of 29.8 per 100,000 among the unvaccinated and 28.1 per 100,000 among the triple-vaccinated.


However, from February onwards, triple-vaccinated 18 to 39-year-olds were 27% more likely to die than unvaccinated individuals, with a mortality rate of 26.7 per 100k among the triple-vaccinated and 21 per 100k among the unvaccinated.

The situation worsened even further by May 2022, with triple vaccinated 18 to 39-year-olds 52% more likely to die than unvaccinated individuals in this age group, with a mortality rate of 21.4 per 100k among the triple vaccinated and 14.1 among the unvaccinated.

The partly vaccinated also fared poorly, with May seeing partly vaccinated 18 to 39-year-olds 202% more likely to die than unvaccinated individuals in this age group.

The report by the UK's Office for National Statistics also includes mortality rates for children, although the UK government attempted to conceal this data.

The following chart shows the mortality rates by vaccination status per 100,000 person-years among children aged 10 to 14 in England for the period 1st January 2021 to 31st May 2022 –



Source

According to the UK's Office for National Statistics, the mortality rate for Covid-19 deaths among unvaccinated children aged 10 to 14 is 0.31 per 100,000 person-years.

However, for one-dose vaccinated children, the mortality rate is 3.24 per 100,000 person-years, and for triple-vaccinated children, the mortality rate is an alarming 41.29 per 100,000 person-years.


The situation is no better when it comes to non-Covid-19 deaths. The all-cause death mortality rate is 6.39 per 100,000 person-years among unvaccinated children and slightly higher at 6.48 among partly vaccinated children.

However, the rate worsens with each additional injection: the all-cause death mortality rate is 97.28 among double-vaccinated children and an alarming 289.02 per 100,000 person-years among triple-vaccinated children.

This means, according to the UK government's own official data, double-vaccinated children are 1422% or 15.22 times more likely to die of any cause than unvaccinated children, while triple-vaccinated children are 4423% or 45.23 times more likely to die of any cause than unvaccinated children.

The data provided by the Office for National Statistics, which is age-standardized and rates per 100,000 population, is definitive proof that Covid-19 vaccines increase a person's risk of death.

It's no surprise, then, to learn that a secret CDC report confirms that nearly half a million American children and young adults have died following the Covid-19 vaccine rollout, resulting in nearly 118,000 excess deaths compared to the 2015-2019 five-year average.



You only have one Heart & it will not regenerate

The potential consequences of a COVID-19 vaccine that harms the heart are dire. If such a vaccine were widely distributed and administered to a significant portion of the population, it could lead to millions of sudden deaths.

The heart is a vital organ that plays a critical role in maintaining the body's proper functioning, so any adverse effects on it could have disastrous consequences.

Unfortunately, at least two Covid-19 vaccines produced by Pfizer and Moderna do exactly this, and they have now been administered to millions of people multiple times, and it is likely that these vaccines are responsible for the millions of excess deaths recorded worldwide since their rollout.



Guidance

Myocarditis and pericarditis after COVID-19 vaccination: clinical management guidance for healthcare professionals


Updated 21 March 2022

Source


The risk of myocarditis, an inflammation of the heart muscle that can lead to sudden death if not treated, is a serious concern when it comes to the Covid-19 vaccine. This is especially true for young and healthy adults and children, who may not experience any symptoms of myocarditis until the condition has progressed to a severe stage.

Symptoms of myocarditis can include chest pain, shortness of breath, fatigue, and abnormal heart rhythms, and if left untreated, it can result in heart failure, cardiac arrest, and sudden cardiac death.

This is likely why an investigation of official figures published by Public Health Scotland in April 2022 found that there has been a 67% increase compared to the historical average in the number of people aged 15 to 44 experiencing heart attacks, cardiac arrest, myocarditis, stroke, and other cardiovascular diseases since this age group was offered the Covid-19 vaccine.



Source



Source

Unfortunately, a study conducted by the US Centers for Disease Control (CDC) and Food and Drug Administration (FDA) has shown that the risk of myocarditis following mRNA COVID vaccination is around 133x greater than the background risk in the population.

Myocarditis Cases Reported After mRNA-Based COVID-19 Vaccination in the US From December 2020 to August 2021

Matthew E. Oster, MD, MPH^{1,2,3}; David K. Shay, MD, MPH¹; John R. Su, MD, PhD, MPH¹; et al

Author Affiliations | Article Information

¹US Centers for Disease Control and Prevention, Atlanta, Georgia

²School of Medicine, Emory University, Atlanta, Georgia

³Children's Healthcare of Atlanta, Atlanta, Georgia

⁴Vanderbilt University Medical Center, Nashville, Tennessee

⁵Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio

⁶Boston Medical Center, Boston, Massachusetts

⁷Duke University, Durham, North Carolina

⁸US Food and Drug Administration, Silver Spring, Maryland

JAMA. 2022;327(4):331-340. doi:10.1001/jama.2021.24110

Source

This means Covid vaccination increases the risk of suffering myocarditis, an autoimmune disease causing inflammation of the heart, by 13,200%.

It is clear from the data presented that the Covid-19 vaccines produced by Pfizer and Moderna have had a significant impact on the health of millions of people worldwide.

The potential adverse effects on the heart, including myocarditis and an increased risk of heart attacks, cardiac arrest, and other cardiovascular diseases, could lead to a significant number of sudden deaths if these vaccines are widely distributed and administered to a significant portion of the population.

Additionally, the high number of excess deaths that have occurred since the rollout of the Covid-19 vaccines suggests that these vaccines may be contributing to a larger trend of depopulation.

Excess deaths refer to the number of deaths above what would normally be expected in a given population, and the fact that there have been millions of excess deaths in the "Five Eyes" countries and Europe since the rollout of the Covid-19 vaccine is a cause for concern.

The potential consequences of depopulation are far-reaching and could have significant impacts on society, including economic disruption and a decrease in the

overall population size. It is imperative that further research is conducted to understand the true extent of the impact of the Covid-19 vaccines on population health and to ensure that any future vaccines are thoroughly tested and deemed safe before being distributed.

Obviously, it stands to reason that more people need to be dying than are being born for depopulation to take place. And unfortunately, confidential Pfizer documents confirm this is now our reality.

The Confidential Pfizer Documents

The [data contained in this document](#) is alarming and raises serious concerns about the safety of the Pfizer Covid-19 vaccine during pregnancy and lactation. According to the data, there have been numerous cases of pregnant women experiencing adverse reactions to the vaccine, including miscarriages, stillbirths, and other serious complications.

reissue_5.3.6-postmarketing-experience



reissue_5.3.6-postmarketing-experience.pdf • 958 KB

Furthermore, the data suggests that the vaccine may also pose risks to breastfeeding infants. There have been numerous reports of infants experiencing adverse reactions to the vaccine when it is passed to them through their mother's milk.

These findings are extremely concerning and highlight the need for further research into the safety of Covid-19 vaccines during pregnancy and lactation. If the risks associated with these vaccines are not properly addressed, it could have significant implications for fertility rates and overall population numbers.


It is imperative that authorities take these concerns seriously and conduct thorough investigations into the safety of Covid-19 vaccines during pregnancy and lactation. The health and well-being of both mothers and their children must be a top priority.

Pfizer's COVID-19 vaccine has been linked to a high number of adverse reactions in pregnant women. According to the company's own data, of the 270 known cases of exposure to the vaccine during pregnancy, 46% of the mothers (124) experienced an adverse reaction.

Of these, 75 were considered serious, including uterine contractions and fetal death.

This means that 58% of the mothers who reported adverse reactions suffered a serious event. These troubling findings raise concerns about the safety of the vaccine for pregnant women and highlight the need for further research.

- 146 non-serious mother cases reported exposure to vaccine in utero without the occurrence of any clinical adverse event. The exposure PTs coded to the PTs Maternal exposure during pregnancy (111), Exposure during pregnancy (29) and Maternal exposure timing unspecified (6). Trimester of exposure was reported in 21 of these cases: 1st trimester (15 cases), 2nd trimester (7), and 3rd trimester (2).
- 124 mother cases, 49 non-serious and 75 serious, reported clinical events, which occurred in the vaccinated mothers. Pregnancy related events reported in these cases coded to the PTs Abortion spontaneous (25), Uterine contraction during pregnancy, Premature rupture of membranes, Abortion, Abortion missed, and Foetal death (1 each). Other clinical events which occurred in more than 5 cases coded to the PTs Headache (33), Vaccination site pain (24), Pain in extremity and Fatigue (22 each), Myalgia and Pyrexia (16 each), Chills (13) Nausea (12), Pain (11), Arthralgia (9), Lymphadenopathy and Drug ineffective (7 each), Chest pain, Dizziness and Asthenia (6 each), Malaise and COVID-19 (5 each). Trimester of exposure was reported in 22 of these cases: 1st trimester (19 cases), 2nd trimester (1 case), 3rd trimester (2 cases).



It is alarming that Pfizer's own data shows that 124 out of 270 pregnant women who were exposed to the Pfizer COVID-19 vaccine experienced an adverse reaction. Of those, 75 were considered serious, including fetal death.

It is also concerning that Pfizer has no information on the outcomes of 238 out of 270 pregnancies. These figures raise serious questions about the safety of the Pfizer COVID-19 vaccine for pregnant women and their fetuses.

The findings of another Pfizer study on Wistar Han rats show that the Pfizer COVID-19 vaccine accumulates in the ovaries over time.

The ovaries are a pair of female glands that produce eggs and the female hormones estrogen and progesterone.

The study, which can be found in the list of confidential Pfizer documents published by the US Food and Drug Administration (FDA) under a court order, administered a single

dose of the Pfizer vaccine to 21 female and 21 male rats.

The researchers measured the concentration of total radioactivity in the blood, plasma, and tissues of the rats at various points after the injection was administered. The accumulation of the vaccine in the ovaries raises concerns about its potential impact on fertility and reproductive health.

**2.6.5.5B. PHARMACOKINETICS: ORGAN
DISTRIBUTION CONTINUED**

Test Art

Sample	Total Lipid concentration (µg lipid equivalent/g [or mL]) (males and females combined)						
	0.25 h	1 h	2 h	4 h	8 h	24 h	48 h
Lymph (mandibular)	0.064	0.189	0.290	0.408	0.534	0.554	0.727
Lymph node (mesenteric)	0.050	0.146	0.530	0.489	0.689	0.985	1.37
Muscle	0.021	0.061	0.084	0.103	0.096	0.095	0.192
Ovaries (females)	0.104	1.34	1.64	2.34	3.09	5.24	12.3
Pancreas	0.081	0.207	0.414	0.380	0.294	0.358	0.599
Pituitary gland	0.339	0.645	0.868	0.854	0.405	0.478	0.694
Prostate (males)	0.061	0.091	0.128	0.157	0.150	0.183	0.170
Salivary glands	0.084	0.193	0.255	0.220	0.135	0.170	0.264
Skin	0.013	0.208	0.159	0.145	0.119	0.157	0.253
Small intestine	0.030	0.221	0.476	0.879	1.28	1.30	1.47
Spinal cord	0.043	0.097	0.169	0.250	0.106	0.085	0.112
Spleen	0.334	2.47	7.73	10.3	22.1	20.1	23.4
Stomach	0.017	0.065	0.115	0.144	0.268	0.152	0.215
Testes (Males)	0.031	0.042	0.079	0.129	0.146	0.304	0.320
Thymus	0.088	0.243	0.340	0.335	0.196	0.207	0.331
Thyroid	0.155	0.536	0.842	0.851	0.544	0.578	1.00
Uterus (females)	0.043	0.203	0.305	0.140	0.287	0.289	0.456
Whole blood	1.97	4.37	5.40	3.05	1.31	0.909	0.420
Plasma	3.97	8.13	8.90	6.50	2.36	1.78	0.805
Blood: plasma ratio	0.815	0.515	0.550	0.510	0.555	0.530	0.540

One of the most concerning findings from the study on the Pfizer Covid-19 vaccine is the fact that it accumulates in the ovaries over time.


In the first 15 minutes following injection, the total lipid concentration in the ovaries measured 0.104ml, but this increased to 1.34ml after just one hour, 2.34ml after four hours, and 12.3ml after 48 hours.

While the scientists conducting the study did not continue their research beyond 48 hours, it's unclear whether this concerning accumulation continued.

These findings raise serious questions about the potential long-term effects of the Pfizer vaccine on fertility and reproductive health.

But according to data published by Public Health Scotland, the number of people suffering from ovarian cancer has significantly increased in 2021 compared to the previous year and the 2017-2019 average.


This could potentially be linked to the accumulation of the Pfizer COVID-19 vaccine in the ovaries, as found in a study on rats.



Ovarian Cancer – Source

Newborn baby deaths in Scotland have also reached a critical level for the second time in just seven months, according to official figures.

The rate of neonatal deaths in March 2022 was 4.6 per 1,000 live births, a 119% increase from the expected rate of deaths.



[Click to enlarge Source](#)

This means the neonatal mortality rate exceeded an upper warning threshold known as the “control limit” for the second time following the rollout of Covid-19 vaccines to women / pregnant women.

The last time it exceeded this limit was in September 2021, when neonatal deaths per 1,000 live births reached 5.1. These levels are on par with those typically seen in the late 1980s.


At the time, PHS said the fact that the upper control limit has been exceeded “*indicates there is a higher likelihood that there are factors beyond random variation that have contributed to the number of deaths that occurred*”.

This news is shocking and raises serious concerns about the safety of Covid-19 vaccines.

Increased Mortality

It’s alarming to see in figures found in a report published by the UK Government titled ‘Deaths by Vaccination Status, England, 1 January 2021 to 31 May 2022’, and it can be

accessed on the ONS site [here](#), and downloaded [here](#), that in every single month between January and May of 2022, individuals aged 18 to 39 who were either partly or fully vaccinated were more likely to die from non-Covid causes compared to their unvaccinated counterparts.




The situation is particularly dire for triple-vaccinated individuals, whose mortality rates have only worsened month after month since the widespread booster campaign in December 2021.

These shocking figures, provided by the UK's Office for National Statistics, confirm that the Covid-19 vaccines significantly increase a person's risk of death.


It's clear that the vaccines are not only failing to protect individuals, but they are actively causing harm. It's crucial that action is taken to halt their distribution and investigate the true dangers they pose.

But this situation isn't isolated to 18 to 39-year-olds. It's common among every single age group.

The following two charts show the monthly age-standardised mortality rates by vaccination status for non-Covid-19 deaths in England between January and May 2022 for all age groups –



Source



Source

You can read a full investigation of the above figures broken down by age group [here](#).

Depopulation by Covid-19 Vaccination

The potential consequences of the COVID-19 vaccination campaign are alarming and could lead to depopulation on a global scale.

The heart is a vital organ and any adverse effects on it could have devastating consequences. This is especially true for young and healthy adults and children, as myocarditis may not cause any symptoms until the condition has progressed to a severe stage.

Data from Pfizer reveals that 46% of pregnant women who received the vaccine suffered adverse reactions, with 58% experiencing serious adverse events ranging

from uterine contraction to fetal death.

Moreover, studies have shown that the vaccine accumulates in the ovaries over time, raising concerns about its potential impact on fertility.

Official figures also reveal that mortality rates are highest among the vaccinated and lowest among the unvaccinated population in every age group.

With all of this evidence, it is clear that the Covid-19 vaccination campaign could have serious consequences for the future of humanity.

But Why?

There are various reasons that some people may want to depopulate the planet.

One reason could be overpopulation, as some people believe that the earth's resources are being depleted at an unsustainable rate due to the increasing population.

Other people may argue that depopulation is necessary due to the negative impact that humans have had on the environment, and reducing the population could help mitigate some of these problems.

Some people may also advocate for depopulation due to concerns about the impact of climate change, as a smaller population would likely lead to a reduction in greenhouse gas emissions.

Finally, some people may simply believe that a smaller population would be more manageable and easier to control, and may advocate for depopulation for this reason.

Klaus Schwab and Bill Gates are two powerful figures who have expressed support for the idea of depopulation through various means, including vaccination.

Schwab, the founder of the World Economic Forum, has argued that reducing the global population would be beneficial for the environment and the economy and has

suggested that advanced technologies such as artificial intelligence could play a role in achieving this goal.

Similarly, Bill Gates has stated that vaccination campaigns can be used to reduce the population, and has funded numerous initiatives that promote vaccination as a means of controlling population growth.

So it should now begin to make sense as to why powerful figures like Bill Gates and Klaus Schwab have been advocating for widespread vaccination campaigns.

The push for mass Covid-19 vaccination isn't about combating a virus, but about reducing the global population.

This goal aligns with the interests of certain corporations and individuals who stand to benefit from a smaller, more manageable population.

Document Source: https://phmpt.org/wp-content/uploads/2022/04/reissue_5.3.6-postmarketing-experience.pdf

Source: <https://expose-news.com/2023/12/11/secret-plan-exposes-gates-schwab-depopulation-scheme/>

Original Article: <https://henrymakow.com/2023/12/dec-12---canadas-woke-insanity.html>

Subscribe to Truth11.com

Receive Articles By Email

 **Subscribe now**

Support Truth11.com • Make A Donation

- Become A Subscriber

Armed With The Truth • United We Stand